Date of Application, 25th May, 1888
Complete Specification Left, 25th Feb., 1889
Complete Specification Accepted, 6th Apr., 1889

A.D. 1888, 25th May. N° 7694.

PROVISIONAL SPECIFICATION.

Improvements in Commodes, Bidets, and Enema-syringes, whereby these Conveniences or any two of them may be Combined in one Article of Bed-room Furniture.

I, William Linsey Teather of No. 33 Camberwell Green in the County of Surrey Gentleman do hereby declare the nature of this invention to be as follows :—

To the ordinary commode, having simply a stool-pan I add a bidet-pan ; both conveniences being enclosed in the same piece of furniture. The stool pan and bidet pan may be constructed to form one article ; or the bidet pan may be made separate from the stool-pan ; one or both pans being formed with spout or lip by which to connect them one to the other. The two pans may also be formed in such way that any surplus of liquid in the bidet pan can overflow into the stool pan. If desired a pan of suitable form may be used for the double purpose of a stool-pan and of a bidet pan without the pan being formed in such way as to separate a part for use for one purpose from a part for use for the other purpose.

In a commode arranged as aforesaid or in any commode or bidet I make provision for the reception of a suitable enema syringe which by means of a spring or weight that can be wound up before the enema is used will eject a continuous jet of liquid when desired on simply opening a tap thus leaving both hands of the person using the enema free to direct and insert the syringe nozzle.

When desired instead of a syringe actuated as aforesaid I employ one which by means of a lever or levers or other suitable mechanical contrivance acting upon the syringe piston, either directly or by means of compressed air, power being obtained from the weight of the person sitting upon the commode, will eject a jet as aforesaid.

When compressed air is used it may be made to act directly upon the surface of the liquid to be injected.

Dated the 25th day of May 1888.

THOS. WILKINS,
Agent for the Applicant.

[*Price* 8*d.*]

COMPLETE SPECIFICATION

Improvements in Commodes, Bidets, and Enema-syringes, whereby these Conveniences or any two of them may be Combined in one Article of Bed-room Furniture.

I WILLIAM LINSEY TEATHER of No. 33 Camberwell Green in the County of Surrey Gentleman do hereby declare the nature of this invention and in what manner the same is to be performed, to be particularly described and ascertained in and by the following statement:—

To the ordinary commodes, having simply a stool-pan I add a bidet pan; both conveniences being enclosed in the same piece of furniture. The stool pan and bidet pan may be constructed to form one article; or the bidet pan may be made separate from the stoolpan; one or both pans being formed with spout or lip by which to connect them one to the other. The two pans may also be formed in such way that any surplus of liquid in the bidet pan can overflow into the stool-pan. If desired a pan of suitable form may be used for the double purpose of a stool-pan and of a bidet-pan without the pan being formed in such way as to separate a part for use for one purpose from a part for use for the other purpose.

In a commode arranged as aforesaid or in any commode or bidet I make provision for the reception of a suitable enema syringe which by means of a spring or weight that can be wound up before the enema is used will eject a continuous jet of liquid when desired on simply opening a tap, thus leaving both hands of the person using the enema free to direct and insert the syringe nozzle.

When desired, instead of a syringe actuated as aforesaid I employ one which by means of a lever or levers or other suitable mechanical contrivance acting upon the syringe piston, either directly or by means of compressed air, power being obtained from the weight of the person sitting upon the commode, will eject a jet as aforesaid.

When compressed air is used it may be made to act directly upon the surface of the liquid to be injected.

DESCRIPTION OF DRAWING.

Fig. 1 is a longitudinal section.
Fig. 2 is a cross section through centre of stool pan.
Fig. 3 is a plan with cover removed.
Fig. 4 is a cross section through bidet pan.
Fig. 5 is a front view.
Fig. 6 is an end view.

a is the bidet pan, *b* is the stool pan, *c* is the enema syringe in position when in use, *d* is its position when not in use, *e* is a cupboard under lock & key for the enema syringe and other articles, *f* is a removable lid.

The lid *f* instead of being made to lift off may be hinged to the body of the commode and may be in one or more parts.

The enema syringe shown is one in common use, and consists of a cylinder containing a piston actuated by a spring. There is either a tap as shown to control the flow of the enema, or a catch to prevent the spring when wound acting on the piston & ejecting the enema until required.

I do not confine myself to the use of the exact form of stool-pan, bidet pan, or enema syringe shown in the drawing.

Having now particularly described and ascertained the nature of my said Invention and in what manner the same is to be performed, I declare that what I claim is :—

1. The combination of a commode, bidet, and enema syringe in one article of bed room furniture.

2. The combination of a commode and bidet in one article of bed room furniture.

3. The combination of a commode and enema syringe in one article of bed room furniture.

4. The combination of a bidet and enema syringe in one article of bed room furniture.

Dated this 25th day of February 1889.

THOS. WILKINS,
Agent for the Applicant.

LONDON : Printed for Her Majesty's Stationery Office,
By DARLING AND SON, LTD.

1889.

FIG. 1.



FIG. 2.



FIG. 3.



FIG. 4



FIG. 5.



FIG. 6.



[This Drawing is a reproduction of the Original on a reduced scale.]

London.—Printed by Darling and Son Ld.
for Her Majesty's Stationery Office. 1889.

Malby & Sons, Photo-Litho.